

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/09/2020

Reviewed on 10/09/2020

* 1 Identification

· **Product Identifier**

· **Trade Name: Lens Cleaner**

· **Product Number:**

Cat# Description

741 Lens Cleaner 6.5ml x 6/pkg

740 Microscope Care Kit Immersion Oil, Lens Cleaner, Oil Immersion Solvent x 6 bottles each + Lens Paper pkg x 6

· **Relevant identified uses of the substance or mixture and uses advised against:**

· **Product Description:** No further relevant information available.

· **Details of the Supplier of the Safety Data Sheet:**

· **Manufacturer/Supplier:**

Scientific Device Laboratory

411 Jarvis Avenue

Des Plaines, IL 60018

847-803-9495

· **Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300 or Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

* 2 Hazard(s) Identification

· **Classification of the substance or mixture:**



Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

· **Label elements:**

· **Hazard pictograms:**



· **Signal word:** Danger

· **Hazard-determining components of labeling:**

Isopropyl alcohol

· **Hazard statements:**

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· **Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/09/2020

Reviewed on 10/09/2020

Trade Name: Lens Cleaner

- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a poison center/doctor if you feel unwell.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.
 0 % of the mixture consists of component(s) of unknown toxicity.

· Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· NFPA ratings (scale 0 - 4)

 Health = 2
 Fire = 3
 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

 Health = 2
 Fire = 3
 Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

* 3 Composition/Information on Ingredients

· Chemical characterization: Substance
· Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:

CAS: 67-63-0	Isopropyl alcohol	☹️ Flam. Liq. 2, H225; ☹️ Eye Irrit. 2A, H319; STOT SE 3, H336
RTECS: NT 8050000		

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

* 4 First-Aid Measures

· Description of first aid measures
· General information: If symptoms persist, call a physician.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.
 In case of unconsciousness place patient stably in the side position for transportation.

· After skin contact:

Wash with soap and water.

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/09/2020

Reviewed on 10/09/2020

Trade Name: Lens Cleaner

If skin irritation occurs, consult a doctor.

· **After eye contact:**

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

· **After swallowing:** If swallowed and symptoms occur, consult a doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

* 5 Fire-Fighting Measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** No further relevant information.

· **Special hazards arising from the substance or mixture:** No further relevant information available.

· **Advice for firefighters**

· **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

* 6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:** Dilute with plenty of water.

· **Methods and material for containment and cleaning up:**

Contain spill and collect, as appropriate.

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

67-63-0	Isopropyl alcohol	400 ppm
64-19-7	Acetic Acid	5 ppm
34487-61-1	sodium hydrogen 4,4'-(3H-2,1-benzoxathiol-3-ylidene)bisphenolate S,S-dioxide	12 mg/m ³

· **PAC-2:**

67-63-0	Isopropyl alcohol	2000* ppm
64-19-7	Acetic Acid	35 ppm
34487-61-1	sodium hydrogen 4,4'-(3H-2,1-benzoxathiol-3-ylidene)bisphenolate S,S-dioxide	130 mg/m ³

· **PAC-3:**

67-63-0	Isopropyl alcohol	12000** ppm
64-19-7	Acetic Acid	250 ppm

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/09/2020

Reviewed on 10/09/2020

Trade Name: Lens Cleaner

34487-61-1	sodium hydrogen 4,4'-(3H-2,1-benzoxathiol-3-ylidene)bisphenolate S,S-dioxide	790 mg/m ³
------------	--	-----------------------

 * **7 Handling and Storage**

- **Handling**
- **Precautions for safe handling:**
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
 Keep ignition sources away - Do not smoke.
 Protect from heat.
 Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
 Store in a cool, dry place.
 Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
 Keep receptacle tightly sealed.
 Store in cool, dry conditions in well sealed receptacles.
 Protect from heat and direct sunlight.
- **Specific end use(s):** No further relevant information available.

 * **8 Exposure Controls/Personal Protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**

Components with occupational exposure limits:	
67-63-0 Isopropyl alcohol	
PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm
TLV	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm BEI

Ingredients with biological limit values:	
67-63-0 Isopropyl alcohol	
BEI	40 mg/L urine end of shift at end of workweek Acetone (background, nonspecific)

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**
 The usual precautionary measures for handling chemicals should be followed.
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing and wash before reuse.
 Wash hands before breaks and at the end of work.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/09/2020

Reviewed on 10/09/2020

Trade Name: Lens Cleaner

- Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Tightly sealed goggles

- **Limitation and supervision of exposure into the environment:** None

* 9 Physical and Chemical Properties

Information on basic physical and chemical properties
General Information
Appearance:

Form: Liquid

Color: Clear

Odor: Mild alcohol

Odor threshold: 50 ppm

pH-value: Not available

Change in condition

Melting point/Melting range: 58 °C

Boiling point/Boiling range: ≥83 °C (≥181.4 °F)

Flash point: ≥12 °C (≥53.6 °F)

Flammability (solid, gaseous): Not applicable.

Ignition temperature: ≥456 °C (≥852.8 °F)

Decomposition temperature: Not determined.

Auto igniting: Product is not self-igniting.

Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

Explosion limits:

Lower: ≥2 Vol %

Upper: ≤12 Vol %

 Vapor pressure @ 20 °C (68 °F): ≤23 hPa (≤17.3 mm Hg)
 33 mmHg

 Density @ 20 °C (68 °F): 0.8 g/cm³ (6.676 lbs/gal)

Relative density: Not determined.

Vapor density: 2.1 (AIR=1)

Evaporation rate: >1

Solubility in / Miscibility with:

Water: Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic: Not determined.

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/09/2020

Reviewed on 10/09/2020

Trade Name: Lens Cleaner

- Kinematic:** Not determined.
- **Solvent content:**
 - Organic solvents:** 20.1 %
 - VOC content:** 20.10 %
- **Other information:** No further relevant information available.

*10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Heat, flame and ignition sources.
- **Incompatible materials:**
 - Strong oxidizing agents.
 - Strong acids, strong bases
- **Hazardous decomposition products:** No dangerous decomposition products known.

*11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

 · **LD/LC50 values that are relevant for classification:**

67-63-0 Isopropyl alcohol		
Oral	LD50	5,045 mg/kg (Rat)
Dermal	LD50	12,800 mg/kg (Rabbit)
Inhalative	LC50/4 h	30 mg/l (Rat)
	LC50/96 hours	9,640 mg/l (Pimephales)

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** Irritating effect.
- **Additional toxicological information:**
 The product shows the following dangers according to internally approved calculation methods for preparations:
 Irritant

- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**
 - Group 1 - Carcinogenic to humans
 - Group 2A - Probably carcinogenic to humans
 - Group 2B - Possibly carcinogenic to humans
 - Group 3 - Not classifiable as to its carcinogenicity to humans
 - Group 4 - Probably not carcinogenic to humans

67-63-0 Isopropyl alcohol	3
---------------------------	---

 · **NTP (National Toxicology Program):**

None of the ingredients are listed.

 · **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/09/2020

Reviewed on 10/09/2020

Trade Name: Lens Cleaner

*12 Ecological Information

 · **Toxicity:**

 · **Aquatic toxicity:**
67-63-0 Isopropyl alcohol

EC50	6,851 mg/l (Green algae)
	5,102 mg/l (Water flea)

 · **Persistence and degradability:** No further relevant information available.

 · **Behavior in environmental systems:**

 · **Bioaccumulative potential:** No further relevant information available.

 · **Mobility in soil:** No further relevant information available.

 · **Additional ecological information:**

 · **General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

 · **Results of PBT and vPvB assessment:**

 · **PBT:** Not applicable.

 · **vPvB:** Not applicable.

 · **Other adverse effects:** No further relevant information available.

*13 Disposal Considerations

 · **Waste treatment methods**

 · **Recommendation:** Observe all federal, state and local environmental regulations when disposing of this material.

 · **Uncleaned packaging**

 · **Recommendation:** Disposal must be made according to official regulations.

 · **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

 · **UN-Number:**

 · **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material

 · **UN proper shipping name:**

 · **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material

 · **Transport hazard class(es):**

 · **DOT, ADR/ADN, ADN, IMDG, IATA**

 · **Class:** Non-Regulated Material

 · **Packing group:**

 · **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material

 · **Environmental hazards:** Not applicable.

 · **Special precautions for user:** Not applicable.

 · **Transport in bulk according to Annex II of**
MARPOL73/78 and the IBC Code: Not applicable.

 · **UN "Model Regulation":** Non-Regulated Material

*15 Regulatory Information

 · **Safety, health and environmental regulations/legislation specific for the substance or mixture:**

 · **SARA (Superfund Amendments and Reauthorization):**

 · **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/09/2020

Reviewed on 10/09/2020

Trade Name: Lens Cleaner

· Section 313 (Specific toxic chemical listings):		
67-63-0	Isopropyl alcohol	
· TSCA (Toxic Substances Control Act):		
All components have the value ACTIVE.		
· Hazardous Air Pollutants		
None of the ingredients are listed.		
· California Proposition 65:		
· Chemicals known to cause cancer:		
None of the ingredients are listed.		
· Chemicals known to cause reproductive toxicity for females:		
None of the ingredients are listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients are listed.		
· Chemicals known to cause developmental toxicity:		
None of the ingredients are listed.		
· New Jersey Right-to-Know List:		
67-63-0	Isopropyl alcohol	
64-19-7	Acetic Acid	
· New Jersey Special Hazardous Substance List:		
67-63-0	Isopropyl alcohol	F3
64-19-7	Acetic Acid	CO, F2
· Pennsylvania Right-to-Know List:		
67-63-0	Isopropyl alcohol	
64-19-7	Acetic Acid	
· Pennsylvania Special Hazardous Substance List:		
67-63-0	Isopropyl alcohol	E
64-19-7	Acetic Acid	E
· Carcinogenic categories:		
· EPA (Environmental Protection Agency):		
None of the ingredients are listed.		
· TLV (Threshold Limit Value established by ACGIH):		
67-63-0	Isopropyl alcohol	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health):		
None of the ingredients are listed.		

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



· Signal word: Danger

· Hazard-determining components of labeling:

Isopropyl alcohol

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/09/2020

Reviewed on 10/09/2020

Trade Name: Lens Cleaner**Hazard statements:**

- H225 Highly flammable liquid and vapor.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

Precautionary statements:

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 Call a poison center/doctor if you feel unwell.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations:

None of the ingredients are listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Date of last revision/ revision number: 10/09/2020 / 1**Abbreviations and acronyms:**

- ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety and Health
- OSHA: Occupational Safety & Health Administration
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit

(Contd. on page 10)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 10/09/2020

Reviewed on 10/09/2020

Trade Name: Lens Cleaner

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· * **Data compared to the previous version altered.**SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106